




Small to Big, Home to Hotel, Stadium or Auditorium, Complex or Multiplex, Arena or Airport.

There's a Sterling DG Set just right for your business.



- Most fuel efficient engines
- Largest range of Gensets
- Turnkey power solutions
- Compact design with high power to weight ratio
- Emission compliant & eco-friendly
- Low lube oil consumption
- Nationwide network
- Excellent customer support



Power solutions from 10 kVA - 1010 kVA

Product Matrix

50 Hz Prime Rating			Radiator Cooled						
			D. G. Set Dimensions in mm.						
Engine Rating (kVA)	D. G. Model	Engine Model	Current Capacity (Amperes)	Engine BHP	Length (mm)	Width (mm)	Height (mm)	Weight (Kgs) Approx	Fuel Tank Cap (Ltrs)
10	SGE10PR	G12-II	14	18	1900	1100	1322	847	50
12.5	SGE12.5PR	G12-II	17	18	1900	1100	1322	847	50
15	SGE15PR	G15-II	21	23	1900	1100	1322	907	50
20	SGE20PR	G20-II	28	25	2100	1100	1321	925	80
25	SGE25PR	G25-II	35	38	2100	1100	1321	1028	80
30	SGE30PR	G30-II	42	46	2100	1100	1321	1028	80
35	SGE35PR	G40-II	49	58	2700	1300	1525	1281	150
40	SGE40PR	G40-II	56	58	2700	1300	1525	1388	150
45	SGE45PR	G40-II	63	58	2700	1300	1525	1388	150
50	SGT50PR	497CPCBII	70	75	2700	1300	1525	1228	150
62.5	SGT62.5PR	497CPCBII	87	76	2700	1300	1525	1388	150
62.5	SGN62.5PR	62.5KVAMECHCPCBII	87	90	3000	1450	1727	1590	220
82.5	SGN82.5PR	82.5KVAMECHCPCBII	115	101	3000	1450	1727	1636	220
100	SGN100PR	100KVAMECHCPCBII	139	126	3000	1450	1727	1684	220
125	SGN125PR1	125KVAMECHCPCBII	174	156	3500	1600	1803	2167	390
160	SGN160PR	160KVAMECHCPCBII	222	199	3500	1600	2062	2373	390
180	SGN180PR	180KVAELECCPCBII	250	221	3500	1600	2062	2373	390
200	SGN200PR	200KVAELECCPCBII	278	241	3500	1600	2062	2373	390
250	SGV250PR	TAD754GE	348	310	5000	1800	2170	5000	750
320	SGV320PR	TAD1351GE	445	389	5500	2000	2170	6375	750
350	SGV350PR	TAD1352GE	487	442	5500	2000	2170	6375	750
380	SGV380PR	TAD1354GE	528	461	5500	2000	2170	6445	750
415	SGV415PR	TAD1355GE	577	502	5500	2000	2170	6445	750
450	SGV450PR	TAD1650GE	626	547	5950	2000	3087	6955	750
500	SGV500PR	TAD1651GE	695	600	5950	2000	3087	6955	750
600	SGV600PR	TWD1652GE	834	710	5950	2000	3240	7874	750
650	SGV650PR	TWD1653GE	904	767	5950	2000	3240	7874	750
500	SGP500PR	2506DE15TAG2	695	607	5950	2000	2295	6640	750
750	SGP750PR	4006D23TAG2	1043	895	7200	2300	2495	9000	990
1010	SGP1010PR	4008TAG2A	1404	1205	4850*	2100*	2285*	9000*	990
					8500	2400	3800	12500	

* Open DG Set Dimensions.

- Data Sheets above 1010 kva shall be made available on request, kindly contact a Sterling Generators representative.
- Product specifications subject to change without prior notice.



Sterling and Wilson Powergen Pvt. Ltd.
 Corp. Office: 10th Floor, Universal Majestic Building,
 P.L. Lokhande Marg, Chembur (West), Mumbai - 400 043.
 Tel: +91-22-2552 6100 Fax: +91-22-2552 6200
 dgmumbai@sterlingwilsonpowergen.com
 www.sterlinggenerators.com

